

INF6 Rec'd PCY/PTO 01 MAY 2006

ATTORNEY DOCKET NO. 50026/040002

Certificate of Mailing: Date of De	posit:April 24, 2006					
I hereby certify under 37 C.F.R. § 1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated above and is addressed to Mail Stop PCT,						
Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. Antonio J. Freitas						
Printed name of person mailing correspondence	Signature of person mailing correspondence					

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Ozawa et al.

Confirmation No.: 1072

Serial No.:

10/562,322

Art Unit:

Not yet assigned

Filed:

Dec. 23, 2005

Examiner:

Not yet assigned

Customer No.: 21559

Title:

METHOD FOR TRANSPLANTING LYMPHOHEMATOPOIETIC

CELLS INTO A MAMMAL

Mail Stop PCT Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Applicants submit the references listed on the enclosed Form PTO-1449, copies of which are enclosed, with the exception of U.S. patents and U.S. patent application publications.

Japanese Patent Application No. JP 8-504320 is written in the Japanese language. An English language translation of this documents is also enclosed.

Submission of this statement is not a representation that a search has been made, nor is the inclusion of information in this statement an admission that the information is



	*
	ℼ
1	_
	v
	_
- 7	-
•	~
	_
	•
,	•
٠,	•
	_
	-
	_
•	_
٠,	
	_
	_
	_
	Ξ
	_
,	_
	_
	7
	_
	-
	-

Attorney Docket Number: 50026/040002

Atty/Secy: JNT/FJL/ajf	☐ Other	Other	☐ Issue Fee Transmittal Form ☐ Check	☐ M-Fee Payment	☐ Drawings Formal/Informal	Notice of Appear	Petition for extension	Reply to Office Action	Reply to Missing Parts	☐ Notice to File Missing Parts	☐ Transmittal Letter	Title: METI	Filed/Issued: Decer	Sarial/Patent Number: 10/562 322	Applicant/Patentee: Ozawa et al.	The U.S. PTO date stamp sets forth the date of receipt of:
Matter Name: Date:	ن دن		Pages: Sequence Disactic Pages: S: Application Data Sheet Pages:		☐ Sequence Listing	•	⊠ Form PTO-1449	Pages: ZiDS Pages: Pages:	Change of Address	er Sneet		METHOD FOR TRANSPLANTING LYMPHOHEMATOPOIETIC CELLS	December 23, 2005	7 322	a et al.	forth the date of receipt of:
te: 04/24/2006	ن دن	ages:	iges:	nges:	ıges:	Number: 95	ges: 7	ges: 2	ges:	es:	ges:	C CELLS				

HIS PERSONNEL OF WAY 2006

material to patentability.

This statement is being filed before the receipt of a first Office action on the merits.

If there are any charges or any credits, please apply them to Deposit Account No. 03-2095.

Respectfully submitted,

Date: 24 April 2006

Jan N.Tittel, Ph.D. Reg. No. 52,290

Clark & Elbing LLP 101 Federal Street Boston, MA 02110

Telephone: 617-428-0200 Facsimile: 617-428-7045



Attorney Docket No. 50026/040002 SUBSTITUTE FORM PTO-1449 (MODIFIED) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE Serial No. 10/562,322 Applicant Ozawa et al. INFORMATION DISCLOSURE STATEMENT BY APPLICANT Filing Date Dec. 23, 2005 (Use several sheets if necessary) Group Not Yet Assigned (37 C.F.R. § 1.98(b)) **IDS Filed** April 24, 2006

		U.S	. PATENT DOCUMENTS			
Examiner's Initials	Document Number	Publication Date	Patentee or Applicant	Class	Subclass	Filing Date (If Appropriate)
	5,686,281	Nov. 11, 1997	Roberts			
	5,747,292	May 5, 1998	Greenberg et al.			
	5,837,544	Nov. 17, 1998	Capon et al.			,
	6,416,998	Jul. 9, 2002	O'Malley et al.			
	2002/0004582 A1	Jan. 10, 2002	Ozawa et al.			
	2002/0004583 A1	Jan. 10, 2002	Ozawa et al.			
	2003/0166161 A1	Sep. 4, 2003	Ozawa et al.			
	09/142,305		Ozawa et al.			Sep. 10, 1999
	09/577,084		Ozawa et al.			May 24, 2000
	FOREIG	ON PATENT OR P	UBLISHED FOREIGN PATENT A	PPLICATION	ON .	
Examiner's Initials	Document Number	Publication Date	Country or Patent Office	Class	Subclass	Translation (Yes/No)
	JP 8-504320	May 14, 1996	Japan			Yes
	WO 93/10151	May 27, 1993	WIPO			
	WO 94/07921	Apr. 14, 1994	WIPO .			
	OTHER DOCUM	IENTS (INCLUDIN	IG AUTHOR, TITLE, DATE, PLAC	E OF PUB	LICATION)	
	Aki et al., "Identifica Phosphate Dehydro	tion and Characte genase Gene Pro	rization of Positive Regulatory Ele moter," <i>J. Biochem.</i> 122:271-278	ments in th (1997).	e Human Gly	ceraldehyde 3-
	Alexander et al., "Po Receptor Activity an	pint Mutations with d Tumorigenicity,	in a Dimer Interface Homology Do EMBO J. 14:5569-5578 (1995).	omain of c-	Mpl Induce C	onstitutive
	Anderson, "Human	Gene Therapy," N	ature 392(Supp):25-30 (1998).			
	Avalos, "Molecular /	Analysis of the Gra	anulocyte Colony-Stimulating Fact	or Recento	r * <i>Blood</i> 88:7	/61-777 (1996)

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citatio form with the next communication to applicant.	n if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	50026/040002
		Serial No.	10/562,322
INFOOMATIO	NA DIGGI GGUAT	Applicant	Ozawa et al.
STATEMENT	ON DISCLOSURE BY APPLICANT heets if necessary)	Filing Date	Dec. 23, 2005
(Ose several si	neets ii necessary)	Group	Not Yet Assigned
(37 C.F.R. § 1.98(b))		IDS Filed	April 24, 2006

Bazan, "Structural Design and Molecular Evolution of a Cytokine Receptor Superfamily," <i>Proc. Natl. Acad. Sci. USA</i> 87:6934-6938 (1990). Berthois et al., "Phenol Red in Tissue Culture Media Is a Weak Estrogen: Implications Concerning the Study of Estrogen-Responsive Cells in Culture," <i>Proc. Natl. Acad. Sci. USA</i> 83:2496-2500 (1986). Blaese et al., "T Lymphocyte-Directed Gene Therapy for ADA' SCID: Initial Trial Results After 4 Years," <i>Science</i> 270:475-480 (1995). Boehmelt et al., "Hormone-Regulated <i>v-rel</i> Estrogen Receptor Fusion Protein: Reversible Induction of Cell Transformation and Cellular Gene Expression," <i>EMBO J.</i> 11:4641-4652 (1992). Bordignon et al., "Gene Therapy in Peripheral Blood Lymphocytes and Bone Marrow for ADA' Immunodeficient Patients," <i>Science</i> 270:470-475 (1995). Burk and Klempnauer, "Estrogen-Dependent Alterations in Differentiation State of Myeloid Cells Caused by a <i>v-myb/lEstogen</i> Receptor Fusion Protein," <i>EMBO J.</i> 10:3713-3719 (1991). Chan et al., "A Murine Cytokine Fusion Toxin Specifically Targeting the Murine Granulocyte-Macrophage Colony-Stimulating Factor (GM-CSF) Receptor on Normal Committed Bone Marrow Progenitor Cells and GM-CSF-Dependent Turnor Cells," <i>Blood</i> 86:2732-2740 (1995). Cheok, "Cancer Fears Cast Doubts on Future of Gene Therapy," <i>Nature</i> 421:678 (2003). Conneally et al., "Rapid and Efficient Selection of Human Hematopoietic Cells Expressing Murine Heat-Stable Antigen as an Indicator of Retroviral-Mediated Gene Transfer," <i>Blood</i> 87:456-464 (1996). Cui et al., "Inhibitory Effect of a Soluble Transforming Growth Factor β Type II Receptor on the Activation of Rat Hepatic Stellate Cells in Primary Culture," <i>J. Hepatol.</i> 39:731-737 (2003). Cytokines Web, "Cytokine Receptor Classification According to Domain Composition," pages 1-2, available at http://cmbl.bjmu.edu.cn/cmbl.data/cgf/CGF_Database/cytweb/recap_strucs/recap_class.html (last accessed 04/27/		Baumann et al., "Signaling by the Cytoplasmic Domain of Hematopoietin Receptors Involves Two Distinguishable Mechanisms in Hepatic Cells," <i>J. Biol. Chem.</i> 269:16297-16304 (1994).
Estrogen-Responsive Cells in Culture," <i>Proc. Natl. Acad. Sci. USA</i> 83:2496-2500 (1986). Blaese et al., "T Lymphocyte-Directed Gene Therapy for ADA' SCID: Initial Trial Results After 4 Years," <i>Science</i> 270:475-480 (1995). Boehmett et al., "Hormone-Regulated <i>v-rel</i> Estrogen Receptor Fusion Protein: Reversible Induction of Cell Transformation and Cellular Gene Expression," <i>EMBO J.</i> 11:4641-4652 (1992). Bordignon et al., "Gene Therapy in Peripheral Blood Lymphocytes and Bone Marrow for ADA' Immunodeficient Patients," <i>Science</i> 270:470-475 (1995). Burk and Klempnauer, "Estrogen-Dependent Alterations in Differentiation State of Myeloid Cells Caused by a <i>v-mybl</i> Estrogen Receptor Fusion Protein," <i>EMBO J.</i> 10:3713-3719 (1991). Chan et al., "A Murine Cytokine Fusion Toxin Specifically Targeting the Murine Granulocyte-Macrophage Colony-Stimulating Factor (GM-CSF) Receptor on Normal Committed Bone Marrow Progenitor Cells and GM-CSF-Dependent Tumor Cells," <i>Blood</i> 86:2732-2740 (1995). Cheok, "Cancer Fears Cast Doubts on Future of Gene Therapy," <i>Nature</i> 421:678 (2003). Conneally et al., "Rapid and Efficient Selection of Human Hematopoietic Cells Expressing Murine Heat-Stable Antigen as an Indicator of Retroviral-Mediated Gene Transfer," <i>Blood</i> 87:456-464 (1996). Cui et al., "Inhibitory Effect of a Soluble Transforming Growth Factor β Type II Receptor on the Activation of Rat Hepatic Stellate Cells in Primary Culture," <i>J. Hepatol.</i> 39:731-737 (2003). Cytokines Web, "Cytokine Receptor Classification According to Domain Composition," pages 1-2, available at http://cmbl.bjmu.edu.cn/cmbldatal/cgf/CGF_Database/cytweb/recap_strucs/recap_class.html> (last accessed 04/27/05). Danielian et al., "Identification of Residues in the Estrogen Receptor That Confer Differential Sensitivity to Estrogen and Hydroxytamoxifen," <i>Mol. Endocrinol.</i> 7:232-240 (1993). Dobzanski et al., "Both Products of the fosB Gene, FosB and Its S		Bazan, "Structural Design and Molecular Evolution of a Cytokine Receptor Superfamily," Proc. Natl. Acad. Sci. USA 87:6934-6938 (1990).
## 270:475-480 (1995). Boehmett et al., "Hormone-Regulated v-rel Estrogen Receptor Fusion Protein: Reversible Induction of Cell Transformation and Cellular Gene Expression," EMBO J. 11:4641-4652 (1992). Bordignon et al., "Gene Therapy in Peripheral Blood Lymphocytes and Bone Marrow for ADA' Immunodeficient Patients," Science 270:470-475 (1995). Burk and Klempnauer, "Estrogen-Dependent Alterations in Differentiation State of Myeloid Cells Caused by a v-myb/Estrogen Receptor Fusion Protein," EMBO J. 10:3713-3719 (1991). Chan et al., "A Murine Cytokine Fusion Toxin Specifically Targeting the Murine Granulocyte-Macrophage Colony-Stimulating Factor (GM-CSF) Receptor on Normal Committed Bone Marrow Progenitor Cells and GM-CSF-Dependent Turnor Cells," Blood 86:2732-2740 (1995). Cheok, "Cancer Fears Cast Doubts on Future of Gene Therapy," Nature 421:678 (2003). Conneally et al., "Rapid and Efficient Selection of Human Hematopoietic Cells Expressing Murine Heat-Stable Antigen as an Indicator of Retroviral-Mediated Gene Transfer," Blood 87:456-464 (1998). Cui et al., "Inhibitory Effect of a Soluble Transforming Growth Factor β Type II Receptor on the Activation of Rat Hepatic Stellate Cells in Primary Culture," J. Hepatol. 39:731-737 (2003). Cytokines Web, "Cytokine Receptor Classification According to Domain Composition," pages 1-2, available at http://cmbi.blpmu.edu.cn/cmbi.data/cgt/CGF_Database/cytweb/recap_strucs/recap_class.html> (last accessed 04/27/05). Danielian et al., "Identification of Residues in the Estrogen Receptor That Confer Differential Sensitivity to Estrogen and Hydroxytamoxifen," Mol. Endocrinol. 7:232-240 (1993). Dobrzanski et al., "Both Products of the fosB Gene, FosB and Its Short Form, FosB/SF, Are Transcriptional Activators in Fibroblasts," Mol. Cell. Biol. 11:5470-5478 (1991). Dong et al., "Distinct Cytoplasmic Regions of the Human Granulocyte Colony-Stimulating Factor Receptor Involve	:	Berthois et al., "Phenol Red in Tissue Culture Media Is a Weak Estrogen: Implications Concerning the Study of Estrogen-Responsive Cells in Culture," <i>Proc. Natl. Acad. Sci. USA</i> 83:2496-2500 (1986).
Transformation and Cellular Gene Expression," EMBO J. 11:4641-4652 (1992). Bordignon et al., "Gene Therapy in Peripheral Blood Lymphocytes and Bone Marrow for ADA' Immunodeficient Patients," Science 270:470-475 (1995). Burk and Klempnauer, "Estrogen-Dependent Alterations in Differentiation State of Myeloid Cells Caused by a v-myb/Estrogen Receptor Fusion Protein," EMBO J. 10:3713-3719 (1991). Chan et al., "A Murine Cytokine Fusion Toxin Specifically Targeting the Murine Granulocyte-Macrophage Colony-Stimulating Factor (GM-CSF) Receptor on Normal Committed Bone Marrow Progenitor Cells and GM-CSF-Dependent Turnor Cells," Blood 86:2732-2740 (1995). Cheok, "Cancer Fears Cast Doubts on Future of Gene Therapy," Nature 421:678 (2003). Conneally et al., "Rapid and Efficient Selection of Human Hematopoietic Cells Expressing Murine Heat-Stable Antigen as an Indicator of Retroviral-Mediated Gene Transfer," Blood 87:455-464 (1996). Cui et al., "Inhibitory Effect of a Soluble Transforming Growth Factor β Type II Receptor on the Activation of Rat Hepatic Stellate Cells in Primary Culture," J. Hepatol. 39:731-737 (2003). Cytokines Web, "Cytokine Receptor Classification According to Domain Composition," pages 1-2, available at http://cmbl.bjmu.edu.cn/cmbidata/cgf/CGF_Database/cytweb/recap_strucs/recap_class.html (last accessed 04/27/05). Danielian et al., "Identification of Residues in the Estrogen Receptor That Confer Differential Sensitivity to Estrogen and Hydroxytamoxifen," Mol. Endocrinol. 7:232-240 (1993). Dobrzanski et al., "Both Products of the fosB Gene, FosB and its Short Form, FosB/SF, Are Transcriptional Activators in Fibroblasts," Mol. Cell. Biol. 11:5470-5478 (1991). Dong et al., "Distinct Cytoplasmic Regions of the Human Granulocyte Colony-Stimulating Factor Receptor Involved in Induction of Proliferation and Maturation," Mol. Cell. Biol. 13:7774-7781 (1993).		Blaese et al., "T Lymphocyte-Directed Gene Therapy for ADA" SCID: Initial Trial Results After 4 Years," Science 270:475-480 (1995).
Patients," Science 270:470-475 (1995). Burk and Klempnauer, "Estrogen-Dependent Alterations in Differentiation State of Myeloid Cells Caused by a v-myb/Estrogen Receptor Fusion Protein," EMBO J. 10:3713-3719 (1991). Chan et al., "A Murine Cytokine Fusion Toxin Specifically Targeting the Murine Granulocyte-Macrophage Colony-Stimulating Factor (GM-CSF) Receptor on Normal Committed Bone Marrow Progenitor Cells and GM-CSF-Dependent Turnor Cells," Blood 86:2732-2740 (1995). Cheok, "Cancer Fears Cast Doubts on Future of Gene Therapy," Nature 421:678 (2003). Conneally et al., "Rapid and Efficient Selection of Human Hematopoletic Cells Expressing Murine Heat-Stable Antigen as an Indicator of Retroviral-Mediated Gene Transfer," Blood 87:456-464 (1996). Cui et al., "Inhibitory Effect of a Soluble Transforming Growth Factor β Type II Receptor on the Activation of Rat Hepatic Stellate Cells in Primary Culture," J. Hepatol. 39:731-737 (2003). Cytokines Web, "Cytokine Receptor Classification According to Domain Composition," pages 1-2, available at http://cmbl.bjmu.edu.cn/cmbldata/cgf/CGF _Database/cytweb/recap_strucs/recap_class.html> (last accessed 04/27/05). Danielian et al., "Identification of Residues in the Estrogen Receptor That Confer Differential Sensitivity to Estrogen and Hydroxytamoxifen," Mol. Endocrinol. 7:232-240 (1993). Dobrzanski et al., "Both Products of the fosB Gene, FosB and Its Short Form, FosB/SF, Are Transcriptional Activators in Fibroblasts," Mol. Cell. Biol. 11:5470-5478 (1991). Dong et al., "Distinct Cytoplasmic Regions of the Human Granulocyte Colony-Stimulating Factor Receptor Involved in Induction of Proliferation and Maturation," Mol. Cell. Biol. 13:7774-7781 (1993).		Boehmett et al., "Hormone-Regulated v-rel Estrogen Receptor Fusion Protein: Reversible Induction of Cell Transformation and Cellular Gene Expression," EMBO J. 11:4641-4652 (1992).
### Transcriptional Protein," EMBO J. 10:3713-3719 (1991). Chan et al., "A Murine Cytokine Fusion Toxin Specifically Targeting the Murine Granulocyte-Macrophage Colony-Stimulating Factor (GM-CSF) Receptor on Normal Committed Bone Marrow Progenitor Cells and GM-CSF-Dependent Turmor Cells," Blood 86:2732-2740 (1995). Cheok, "Cancer Fears Cast Doubts on Future of Gene Therapy," Nature 421:678 (2003). Conneally et al., "Rapid and Efficient Selection of Human Hematopoietic Cells Expressing Murine Heat-Stable Antigen as an Indicator of Retroviral-Mediated Gene Transfer," Blood 87:456-464 (1996). Cui et al., "Inhibitory Effect of a Soluble Transforming Growth Factor β Type II Receptor on the Activation of Rat Hepatic Stellate Cells in Primary Culture," J. Hepatol. 39:731-737 (2003). Cytokines Web, "Cytokine Receptor Classification According to Domain Composition," pages 1-2, available at http://cmbi.blpmu.edu.cn/cmbidata/cgf/CGF_Database/cytweb/recap_strucs/recap_class.html (last accessed 04/27/05). Danielian et al., "Identification of Residues in the Estrogen Receptor That Confer Differential Sensitivity to Estrogen and Hydroxytamoxifen," Mol. Endocrinol. 7:232-240 (1993). Dobrzanski et al., "Both Products of the fosB Gene, FosB and Its Short Form, FosB/SF, Are Transcriptional Activators in Fibroblasts," Mol. Cell. Biol. 11:5470-5478 (1991). Dong et al., "Distinct Cytoplasmic Regions of the Human Granulocyte Colony-Stimulating Factor Receptor Involved in Induction of Proliferation and Maturation," Mol. Cell. Biol. 13:7774-7781 (1993). Dunbar and Emmons, "Gene Transfer Into Hematopoietic Progenitor and Stem Cells: Progress and Problems,"		
Stimulating Factor (GM-CSF) Receptor on Normal Committed Bone Marrow Progenitor Cells and GM-CSF-Dependent Turnor Cells," <i>Blood</i> 86:2732-2740 (1995). Cheok, "Cancer Fears Cast Doubts on Future of Gene Therapy," <i>Nature</i> 421:678 (2003). Conneally et al., "Rapid and Efficient Selection of Human Hematopoietic Cells Expressing Murine Heat-Stable Antigen as an Indicator of Retroviral-Mediated Gene Transfer," <i>Blood</i> 87:456-464 (1996). Cui et al., "Inhibitory Effect of a Soluble Transforming Growth Factor β Type II Receptor on the Activation of Rat Hepatic Stellate Cells in Primary Culture," <i>J. Hepatol.</i> 39:731-737 (2003). Cytokines Web, "Cytokine Receptor Classification According to Domain Composition," pages 1-2, available at http://cmbl.bjmu.edu.cn/cmbidata/cgt/CGF_Database/cytweb/recap_strucs/recap_class.html (last accessed 04/27/05). Danielian et al., "Identification of Residues in the Estrogen Receptor That Confer Differential Sensitivity to Estrogen and Hydroxytamoxifen," <i>Mol. Endocrinol.</i> 7:232-240 (1993). Dobrzanski et al., "Both Products of the fosB Gene, FosB and Its Short Form, FosB/SF, Are Transcriptional Activators in Fibroblasts," <i>Mol. Cell. Biol.</i> 11:5470-5478 (1991). Dong et al., "Distinct Cytoplasmic Regions of the Human Granulocyte Colony-Stimulating Factor Receptor Involved in Induction of Proliferation and Maturation," <i>Mol. Cell. Biol.</i> 13:7774-7781 (1993). Dunbar and Emmons, "Gene Transfer Into Hematopoietic Progenitor and Stem Cells: Progress and Problems,"		Burk and Klempnauer, "Estrogen-Dependent Alterations in Differentiation State of Myeloid Cells Caused by a v-myb/Estrogen Receptor Fusion Protein," <i>EMBO J.</i> 10:3713-3719 (1991).
Conneally et al., "Rapid and Efficient Selection of Human Hematopoietic Cells Expressing Murine Heat-Stable Antigen as an Indicator of Retroviral-Mediated Gene Transfer," <i>Blood</i> 87:456-464 (1996). Cui et al., "Inhibitory Effect of a Soluble Transforming Growth Factor β Type II Receptor on the Activation of Rat Hepatic Stellate Cells in Primary Culture," <i>J. Hepatol.</i> 39:731-737 (2003). Cytokines Web, "Cytokine Receptor Classification According to Domain Composition," pages 1-2, available at http://cmbl.bjmu.edu.cn/cmbidata/cgf/CGF_Database/cytweb/recap_strucs/recap_class.html (last accessed 04/27/05). Danielian et al., "Identification of Residues in the Estrogen Receptor That Confer Differential Sensitivity to Estrogen and Hydroxytamoxifen," <i>Mol. Endocrinol.</i> 7:232-240 (1993). Dobrzanski et al., "Both Products of the fosB Gene, FosB and Its Short Form, FosB/SF, Are Transcriptional Activators in Fibroblasts," <i>Mol. Cell. Biol.</i> 11:5470-5478 (1991). Dong et al., "Distinct Cytoplasmic Regions of the Human Granulocyte Colony-Stimulating Factor Receptor Involved in Induction of Proliferation and Maturation," <i>Mol. Cell. Biol.</i> 13:7774-7781 (1993). Dunbar and Emmons, "Gene Transfer Into Hematopoietic Progenitor and Stem Cells: Progress and Problems,"		Stimulating Factor (GM-CSF) Receptor on Normal Committed Bone Marrow Progenitor Cells and GM-CSF-
Antigen as an Indicator of Retroviral-Mediated Gene Transfer," <i>Blood</i> 87:456-464 (1996). Cui et al., "Inhibitory Effect of a Soluble Transforming Growth Factor β Type II Receptor on the Activation of Rat Hepatic Stellate Cells in Primary Culture," <i>J. Hepatol.</i> 39:731-737 (2003). Cytokines Web, "Cytokine Receptor Classification According to Domain Composition," pages 1-2, available at http://cmbl.bjmu.edu.cn/cmbidata/cgf/CGF_Database/cytweb/recap_strucs/recap_class.html (last accessed 04/27/05). Danielian et al., "Identification of Residues in the Estrogen Receptor That Confer Differential Sensitivity to Estrogen and Hydroxytamoxifen," <i>Mol. Endocrinol.</i> 7:232-240 (1993). Dobrzanski et al., "Both Products of the fosB Gene, FosB and Its Short Form, FosB/SF, Are Transcriptional Activators in Fibroblasts," <i>Mol. Cell. Biol.</i> 11:5470-5478 (1991). Dong et al., "Distinct Cytoplasmic Regions of the Human Granulocyte Colony-Stimulating Factor Receptor Involved in Induction of Proliferation and Maturation," <i>Mol. Cell. Biol.</i> 13:7774-7781 (1993). Dunbar and Emmons, "Gene Transfer Into Hematopoietic Progenitor and Stem Cells: Progress and Problems,"		Cheok, "Cancer Fears Cast Doubts on Future of Gene Therapy," Nature 421:678 (2003).
Hepatic Stellate Cells in Primary Culture," <i>J. Hepatol.</i> 39:731-737 (2003). Cytokines Web, "Cytokine Receptor Classification According to Domain Composition," pages 1-2, available at http://cmbl.bjmu.edu.cn/cmbidata/cgf/CGF_Database/cytweb/recap_strucs/recap_class.html (last accessed 04/27/05). Danielian et al., "Identification of Residues in the Estrogen Receptor That Confer Differential Sensitivity to Estrogen and Hydroxytamoxifen," <i>Mol. Endocrinol.</i> 7:232-240 (1993). Dobrzanski et al., "Both Products of the fosB Gene, FosB and Its Short Form, FosB/SF, Are Transcriptional Activators in Fibroblasts," <i>Mol. Cell. Biol.</i> 11:5470-5478 (1991). Dong et al., "Distinct Cytoplasmic Regions of the Human Granulocyte Colony-Stimulating Factor Receptor Involved in Induction of Proliferation and Maturation," <i>Mol. Cell. Biol.</i> 13:7774-7781 (1993). Dunbar and Emmons, "Gene Transfer Into Hematopoietic Progenitor and Stem Cells: Progress and Problems,"		Conneally et al., "Rapid and Efficient Selection of Human Hematopoietic Cells Expressing Murine Heat-Stable Antigen as an Indicator of Retroviral-Mediated Gene Transfer," Blood 87:456-464 (1996).
 http://cmbi.bjmu.edu.cn/cmbidata/cgf/CGF_Database/cytweb/recap_strucs/recap_class.html (last accessed 04/27/05). Danielian et al., "Identification of Residues in the Estrogen Receptor That Confer Differential Sensitivity to Estrogen and Hydroxytamoxifen," <i>Mol. Endocrinol.</i> 7:232-240 (1993). Dobrzanski et al., "Both Products of the fosB Gene, FosB and Its Short Form, FosB/SF, Are Transcriptional Activators in Fibroblasts," <i>Mol. Cell. Biol.</i> 11:5470-5478 (1991). Dong et al., "Distinct Cytoplasmic Regions of the Human Granulocyte Colony-Stimulating Factor Receptor Involved in Induction of Proliferation and Maturation," <i>Mol. Cell. Biol.</i> 13:7774-7781 (1993). Dunbar and Emmons, "Gene Transfer Into Hematopoietic Progenitor and Stem Cells: Progress and Problems," 		Cui et al., "Inhibitory Effect of a Soluble Transforming Growth Factor β Type II Receptor on the Activation of Rat Hepatic Stellate Cells in Primary Culture," <i>J. Hepatol.</i> 39:731-737 (2003).
Estrogen and Hydroxytamoxifen," Mol. Endocrinol. 7:232-240 (1993). Dobrzanski et al., "Both Products of the fosB Gene, FosB and Its Short Form, FosB/SF, Are Transcriptional Activators in Fibroblasts," Mol. Cell. Biol. 11:5470-5478 (1991). Dong et al., "Distinct Cytoplasmic Regions of the Human Granulocyte Colony-Stimulating Factor Receptor Involved in Induction of Proliferation and Maturation," Mol. Cell. Biol. 13:7774-7781 (1993). Dunbar and Emmons, "Gene Transfer Into Hematopoietic Progenitor and Stem Cells: Progress and Problems,"		http://cmbi.bjmu.edu.cn/cmbidata/cgf/CGF_Database/cytweb/recap_strucs/recap_class.html (last accessed)
Activators in Fibroblasts," Mol. Cell. Biol. 11:5470-5478 (1991). Dong et al., "Distinct Cytoplasmic Regions of the Human Granulocyte Colony-Stimulating Factor Receptor Involved in Induction of Proliferation and Maturation," Mol. Cell. Biol. 13:7774-7781 (1993). Dunbar and Emmons, "Gene Transfer Into Hematopoietic Progenitor and Stem Cells: Progress and Problems,"		Danielian et al., "Identification of Residues in the Estrogen Receptor That Confer Differential Sensitivity to Estrogen and Hydroxytamoxifen," Mol. Endocrinol. 7:232-240 (1993).
Involved in Induction of Proliferation and Maturation," Mol. Cell. Biol. 13:7774-7781 (1993). Dunbar and Emmons, "Gene Transfer Into Hematopoietic Progenitor and Stem Cells: Progress and Problems,"		Dobrzanski et al., "Both Products of the fosB Gene, FosB and Its Short Form, FosB/SF, Are Transcriptional Activators in Fibroblasts," Mol. Cell. Biol. 11:5470-5478 (1991).
Dunbar and Emmons, "Gene Transfer into Hematopoietic Progenitor and Stem Cells: Progress and Problems," Stem Cells 12:563-576 (1994).		Dong et al., "Distinct Cytoplasmic Regions of the Human Granulocyte Colony-Stimulating Factor Receptor Involved in Induction of Proliferation and Maturation," <i>Mol. Cell. Biol.</i> 13:7774-7781 (1993).
		Dunbar and Emmons, "Gene Transfer Into Hematopoietic Progenitor and Stem Cells: Progress and Problems," Stem Cells 12:563-576 (1994).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant	o if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	50026/040002
(MODIFIED)		Serial No.	10/562,322
INICODAATIO	ON DISOLOGUES	Applicant	Ozawa et al.
STATEMEN	ON DISCLOSURE T BY APPLICANT	Filing Date	Dec. 23, 2005
(Ose several s	heets if necessary)	Group	Not Yet Assigned
(37 C.F.R. § 1.98(b))		IDS Filed	April 24, 2006

Finer et al., "kat: A High-Efficiency Retroviral Transduction System for Primary Human T Lymphocytes," <i>Blood</i> 83:43-50 (1994).
Fukunaga et al., "Expression Cloning of a Receptor for Murine Granulocyte Colony-Stimulating Factor," Cell 61:341-350 (1990).
Fukunaga et al., "Purification and Characterization of the Receptor for Murine Granulocyte Colony-Stimulating Factor," <i>J. Biol. Chem.</i> 265:14008-14015 (1990).
Fukunaga et al., "Three Different mRNAs Encoding Human Granulocyte Colony-Stimulating Factor Receptor," Proc. Natl. Acad. Sci. USA 87:8702-8706 (1990).
Fukunaga et al., "Functional Domains of the Granulocyte Colony-Stimulating Factor Receptor," EMBO J. 10:2855-2865 (1991).
Fukunaga et al., "Growth and Differentiation Signals Mediated by Different Regions in the Cytoplasmic Domain of Granulocyte Colony-Stimulating Factor Receptor," Cell 74:1079-1087 (1993).
Gabbianelli et al., "Multi-Level Effects of fit3 Ligand on Human Hematopoiesis: Expansion of Putative Stem Cells and Proliferation of Granulomonocytic Progenitors/Monocytic Precursors," <i>Blood</i> 86:1661-1670 (1995).
Gearing et al., "The IL-6 Signal Transducer, gp130: An Oncostatin M Receptor and Affinity Converter for the LIF Receptor," Science 255:1434-1437 (1992).
Gossen and Bujard, "Tight Control of Gene Expression in Mammalian Cells by Tetracycline-Responsive Promoters," <i>Proc. Natl. Acad. Sci. USA</i> 89:5547-5551 (1992).
Greene et al., "Sequence and Expression of Human Estrogen Receptor Complementary DNA," Science 231:1150-1154 (1986).
Gurney et al., "Distinct Regions of c-Mpl Cytoplasmic Domain Are Coupled to the JAK-STAT Signal Transduction Pathway and Shc Phosphorylation," <i>Proc. Natl. Acad. Sci. USA</i> 92:5292-5296 (1995).
Hanania and Deisseroth, "Serial Transplantation Shows That Early Hematopoietic Precursor Cells Are Transduced by MDR-1 Retroviral Vector in a Mouse Gene Therapy Model," Cancer Gene Ther. 1:21-25 (1994).
Haniu et al., "Extracellular Domain of Granulocyte-Colony Stimulating Factor Receptor," Arch. Biochem. Biophys. 324:344-356 (1995).
Heldin, "Dimerization of Cell Surface Receptors in Signal Transduction," Cell 80:213-223 (1995).
Hockenbery et al., "Bcl-2 Functions in an Antioxidant Pathway to Prevent Apoptosis," Cell 75:241-251 (1993).
Hollenberg et al., "Use of a Conditional MyoD Transcription Factor in Studies of MyoD Trans-Activation and Muscle Determination," <i>Proc. Natl. Acad. Sci. USA</i> 90:8028-8032 (1993).
Hope et al., "trans-Dominant Inhibition of Human Immunodeficiency Virus Type 1 Rev Occurs through Formation of Inactive Protein Complexes," J. Virol. 66:1849-1855 (1992).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Oraw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	50026/040002
(MODIFIED)		Serial No.	10/562,322
INFORMATIO	NA DIGOLOGIUSE	Applicant	Ozawa et al.
STATEMENT	DN DISCLOSURE BY APPLICANT	Filing Date	Dec. 23, 2005
(Use severar si	heets if necessary)	Group	Not Yet Assigned
(37 C.F.R. § 1.98(b))		IDS Filed	April 24, 2006

Hudak et al., "FLT3/FLK2 Ligand Promotes the Growth of Murine Stem Cells and the Expansion of Colony-Forming Cells and Spleen Colony-Forming Units," <i>Blood</i> 85:2747-2755 (1995).
Ibelgaufts, "Cytokine Receptor Families," Horst Ibelgaufts' COPE: Cytokines Online Pathfinder Encyclopaedia, revised 2002, pages 1-4, available at http://www.copewithcytokines.de/cope.cgi?002595 (last accessed 04/27/05).
Ihle, "Cytokine Receptor Signalling," Nature 377:591-594 (1995).
Ikebuchi et al., "Granulocyte Colony-Stimulating Factor Enhances Interleukin 3-Dependent Proliferation of Multipotential Hemopoietic Progenitors," <i>Proc. Natl. Acad. Sci. USA</i> 85:3445-3449 (1988).
Ito et al., "G-CSFR-Estrogen-R Fusion cDNA as a Novel Selective Amplifier Gene for Controllable Expansion of Transduced Hematopoietic Stem Cells," (Abstract 538) <i>Blood</i> 88:137a (1996).
Ito et al., "Development of a Novel Selective Amplifier Gene for Controllable Expansion of Transduced Hematopoietic Cells," <i>Blood</i> 90:3884-3892 (1997).
Jackson et al., "Hormone-Conditional Transformation by Fusion Proteins of c-Abl and Its Transforming Variants," EMBO J. 12:2809-2819 (1993).
Juengst, "What Next for Human Gene Therapy?" BMJ 326:1410-1411 (2003).
Kakuta et al., "Inhibition of B16 Melanoma Experimental Metastasis by Interferon-y through Direct Inhibition of Cell Proliferation and Activation of Antitumour Host Mechanisms," <i>Immunology</i> 105:92-100 (2002).
Karlsson, "Treatment of Genetic Defects in Hematopoietic Cell Function by Gene Transfer," <i>Blood</i> 78:2481-2492 (1991).
Kmiec, "Gene Therapy," Am. Sci. 87:240-247 (1999).
Larsen et al., "Expression Cloning of a Human Granulocyte Colony-Stimulating Factor Receptor: A Structural Mosaic of Hematopoietin Receptor, Immunoglobulin, and Fibronectin Domains," <i>J. Exp. Med.</i> 172:1559-1570 (1990).
Littlewood et al., "A Modified Oestrogen Receptor Ligand-Binding Dornain as an Improved Switch for the Regulation of Heterologous Proteins," <i>Nucleic Acids Res.</i> 23:1686-1690 (1995).
Luo et al., "Oligomerization Activates c-Raf-1 through a Ras-Dependent Mechanism," Nature 383:181-185 (1996).
Marcinkowska and Więdłocha, "Steroid Signal Transduction Activated at the Cell Membrane: From Plants to Animals," <i>Acta Biochim. Pol.</i> 49:735-745 (2002).
Maruyama et al., "Proliferation and Erythroid Differentiation through the Cytoplasmic Domain of the Erythropoietin Receptor," J. Biol. Chem. 269:5976-5980 (1994).

EXAMINER	DATE CONSIDERED

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	50026/040002
(MODIFIED)		Serial No.	10/562,322
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Ozawa et al.
		Filing Date	Dec. 23, 2005
		Group	Not Yet Assigned
(37 C.F.R. § 1.98(b))		IDS Filed	April 24, 2006

Medin et al., "A Bicistronic Therapeutic Retroviral Vector Enables Sorting of Transduced CD34* Cells and Corrects the Enzyme Deficiency in Cells From Gaucher Patients," <i>Blood</i> 87:1754-1762 (1996).
Memo from Department of Health and Human Services Director Amy Patterson to Principal Investigators for Human Gene Transfer Trials Employing Retroviral Vectors, dated January 14, 2003, pages 1-3.
Messer, "MBC 3320 Steroid Hormones and Receptors," revised 2000, available at http://www.neurosci.pharm.utoledo.edu/MBC3320/steroids.htm (last accessed 10/13/04).
Molineux et al., "The Effects on Hematopoiesis of Recombinant Stem Cell Factor (Ligand for c-kit) Administered In Vivo to Mice Either Alone or in Combination With Granulocyte Colony-Stimulating Factor," Blood 78:961-966 (1991).
Morgenstern and Land, "Advanced Mammalian Gene Transfer: High Titre Retroviral Vectors with Multiple Drug Selection Markers and a Complementary Helper-Free Packaging Cell Line," <i>Nucleic Acids Res.</i> 18:3587-3596 (1990).
Murakami et al., "Critical Cytoplasmic Region of the Interleukin 6 Signal Transducer gp130 Is Conserved in the Cytokine Receptor Family," <i>Proc. Natl. Acad. Sci. USA</i> 88:11349-11353 (1991).
Nagata and Fukunaga, "Granulocyte Colony-Stimulating Factor and Its Receptor," <i>Prog. Growth Factor Res.</i> 3:131-141 (1991).
Nakabeppu et al., "Proliferative Activation of Quiescent Rat-1A Cells by ΔFosB," <i>Mol. Cell. Biol.</i> 13:4157-4166 (1993).
O'Farrell et al., "IL-10 Inhibits Macrophage Activation and Proliferation by Distinct Signaling Mechanisms: Evidence for Stat3-Dependent and -Independent Pathways," <i>EMBO J.</i> 17:1006-1018 (1998).
 Omura et al., "Acceleration of Granulocyte Colony-Stimulating Factor-Induced Neutrophilic Nuclear Lobulation by Overexpression of Lyn Tyrosine Kinase," <i>Eur. J. Biochem.</i> 269:381-389 (2002).
Ozawa et al., "Development of a Novel Selective Amplifier Gene for In Vivo Selective Expansion of Transduced Hematopoietic Stem Cells," (Abstract 161) Exp. Hematol. 24:1053 (1996).
Partial Transaction of Nagamune et al., "The Development of Artificial Receptor-Expressing Cells Capable of Being Switched by Antigen-Antibody Reactions," <i>Pharmacia</i> 36:474-478 (2000).
Pawliuk et al., "Selection of Retrovirally Transduced Hematopoietic Cells Using CD24 as a Marker of Gene Transfer," <i>Blood</i> 84:2868-2877 (1994).
Picard et al., "A Movable and Regulable Inactivation Function within the Steroid Binding Domain of the Glucocorticoid Receptor," Cell 54:1073-1080 (1988).
Picard, "Regulation of Heterologous Proteins by Fusion to a Hormone Binding Domain," Chapter 11 in Nuclear Receptors: A Practical Approach. Picard (ed.), Oxford University Press: Oxford (1999) pp. 261-274.
Planelles et al., "A New Reporter System for Detection of Retroviral Infection," Gene Ther. 2:369-376 (1995).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	50026/040002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/562,322
WESDWEIGN DIGG 00 UT		Applicant	Ozawa et al.
STATEMEN'	ON DISCLOSURE T BY APPLICANT	Filing Date	Dec. 23, 2005
(Use several sheets if necessary)		Group	Not Yet Assigned
(37 C.F.R. § 1.98(b))		IDS Filed	April 24, 2006

Richardson and Bank, "Preselection of Transduced Murine Hematopoietic Stem Cell Populations Leads to Increased Long-Term Stability and Expression of the Human Multiple Drug Resistance Gene," <i>Blood</i> 86:2579-2589 (1995).
Roemer and Friedmann, "Modulation of Cell Proliferation and Gene Expression by a p53-Estrogen Receptor Hybrid Protein," <i>Proc. Natl. Acad. Sci. USA</i> 90:9252-9256 (1993).
Romano et al., "Recent Advances, Prospects and Problems in Designing New Strategies for Oligonucleotide and Gene Delivery in Therapy," <i>In Vivo</i> 12:59-68 (1998).
Roussel et al., "Colony-Stimulating Factor 1-Mediated Regulation of a Chimeric c-Imslv-Ims Receptor Containing the v-Ims-Encoded Tyrosine Kinase Domain," Proc. Natl. Acad. Sci. USA 85:5903-5907 (1988).
Skoda et al., "Murine c-mpl: A Member of the Hematopoietic Growth Factor Receptor Superfamily that Transduces a Proliferative Signal," <i>EMBO J.</i> 12:2645-2653 (1993).
Solar et al., "Role of c-mpl in Early Hematopoiesis," Blood 92:4-10 (1998).
Sorrentino et al., "Selection of Drug-Resistant Bone Marrow Cells In Vivo After Retroviral Transfer of Human MDR1," Science 257:99-103 (1992).
"Steroid Hormone Receptors and their Response Elements," available at http://users.rcn.com/jklmball.ma.ultranet/BiologyPages/S/SteroidREs.html (last accessed 10/13/04).
Superti-Furga et al., "Hormone-Dependent Transcriptional Regulation and Cellular Transformation by Fos- Steroid Receptor Fusion Proteins," <i>Proc. Natl. Acad. Sci. USA</i> 88:5114-5118 (1991).
Taga and Kishimoto, "Cytokine Receptors and Signal Transduction," FASEB J. 6:3387-3396 (1992).
Takebayashi et al., "Hormone-Induced Apoptosis by Fas-Nuclear Receptor Fusion Proteins: Novel Biological Tools for Controlling Apoptosis In Vivo," Cancer Res. 56:4164-4170 (1996).
Thornton, "Evolution of Vertebrate Steroid Receptors from an Ancestral Estrogen Receptor by Ligand Exploitation and Serial Genome Expansions," <i>Proc. Natl. Acad. Sci. USA</i> 98:5671-5676 (2001).
Tong et al., "In Vivo Administration of Recombinant Methionyl Human Stem Cell Factor Expands the Number of Human Marrow Hematopoietic Stem Cells," <i>Blood</i> 82:784-791 (1993).
Verma and Somia, "Gene Therapy-Promises, Problems and Prospects," Nature 389:239-242 (1997).
Vigon et al., "Characterization of the Murine <i>Mpl</i> Proto-Oncogene, a Member of the Hematopoletic Cytokine Receptor Family: Molecular Cloning, Chromosomal Location and Evidence for a Function in Cell Growth," <i>Oncogene</i> 8:2607-2615 (1993).
Walsh et al., "A Functionally Active Retrovirus Vector for Gene Therapy in Fanconi Anemia Group C," Blood 84:453-459 (1994).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of the form with the next communication to applicant.	

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	50026/040002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/562,322
INICODAAATI	ON DISCLOSURE	Applicant	Ozawa et al.
STATEMEN	T BY APPLICANT sheets if necessary)	Filing Date	Dec. 23, 2005
(030 3646)81	sneets if necessary)	Group	Not Yet Assigned
(37 C.F.R. § 1.98(b))		IDS Filed	April 24, 2006

Wang et al., "Yeast Two-Hybrid System Demonstrates That Estrogen Receptor Dimerization Is Ligand- Dependent In Vivo," <i>J. Biol. Chem.</i> 270:23322-23329 (1995).
Watowich et al., "Cytokine Receptor Signal Transduction and the Control of Hematopoietic Cell Development," Annu. Rev. Cell Dev. Biol. 12:91-128 (1996).
 Welte et al., "Filgrastim (r-metHuG-CSF): The First 10 Years," Blood 88:1907-1929 (1996).
White et al., "Molecular Analysis of the Region of Distal 1p Commonly Deleted in Neuroblastoma," Eur. J. Cancer 33:1957-1961 (1997).
Williams and Park, "Hematopoietic Effects of a Granulocyte-Macrophage Colony-Stimulating Factor/Interleukin-3 Fusion Protein," Cancer 67:2705-2707 (1991).
Wimmel et al., "Autocrine Growth Inhibition by Transforming Growth Factor β-1 (TGFβ-1) in Human Neuroendocrine Tumour Cells," <i>Gut</i> 52:1308-1316 (2003).
Yoshikawa et al., "Distinct Signal Transduction through the Tyrosine-Containing Domains of the Granulocyte Colony-Stimulating Factor Receptor," <i>EMBO J.</i> 14:5288-5296 (1995).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this